UV
EN 13758-2

140 gr/m², 100% AriPam,
Uv protective,
Jersey Knit Fabric

CONFIDENCE IN TEXTILES
Tested for harmful substances
according to Oeko-Tex Standard 100

Sample

60

Ari Penye - 5865
Grey

Ari Penye - 5867
Navy

Ari Penye - 5866
Black

Description

100% AriPam jersey knit fabric. It is used as a lining inside of the shoes.
Ari Penye can also be used on promotional t-shirts.

Technical Parameters

Name	Values	Standards
Fiber	100% AriPam	EN ISO 2076
Yarn	30/1 Ne	EN ISO 2060
Weight	140 ±10 gr/m²	EN ISO 3081
Width	1700 ±20 mm	EN ISO 3932
Bursting Strength	> 1000 kPa(kN/m²)	EN ISO 13938-1
Dimensional Change	-5%<Length<+5%;-5%<Width<+5%	EN ISO 5077
Rubbing Fastness	4-5	EN ISO 105 X12
Perspiration Fastness	4-5	EN ISO 105 E04
Washing Fastness	4-5	EN ISO 105 C06
Dry Cleaning Fastness	4-5	EN ISO 105 D01
Hypochlorite Fastness	4-5	EN ISO 105 N01
Hot Press Fastness	4-5	EN ISO 105 X11
pH	4,0 - 7,5	EN ISO 3071
Azo Test	No Azo Colorants.	EN ISO 14362-1
Application	Lining for Shoes	
Quality Management	Done	ISO 9001
Uv Protection	Done	EN ISO 13758