



























1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS

2020 Ariteks Technical Fabrics

| | | | | | |
|---|--|---|--|--|--|
|   BUILDING |   HOME |   PROTECTION |   MEDICAL |   SPORT |   TRANSPORT |
|   GEOLOGY |   PACKAGE |   CLOTH |   AGRICULTURE |   ENVIRONMENT |   MACHINE |




Ariteks, founded as a family owned business in 1975, is the leading textile manufacturer company both in fashion and technical textiles.

By continuously developing high-end technologies it provides solutions to end users in apparel, protective workwear, functional sport, medical wear as well as technical textiles in construction and transportation industries.

As the pioneer company in special dyeing methods like indigo, vat, space-dye, coating and laminating systems, Ariteks produces highest-quality fabrics both for international and domestic markets.

Ariteks uses clean and renewable energy resources. It consumes minimum amount of water by using continuous optimised systems.

Based in 14000m² with 12 separate in house R&D laboratories, the company spends 5% of its budget for research and developing future technologies. It focuses especially on 3rd generation solar cells on flexible fabrics and biosensing textiles.





1975



















ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



**B
U
I
L
L
I
N
G**

CONTENT


| | | | | | | | | | |
|----------|---|---|--|---|---|--|--|--|--|
| 1 | Articulator 250 gr/m ² , 92% Polyester 8% Elastane, Flexible, Tension Fabric |  EN 14419 |  AATCC 183 |  |  |  EN 20471 |  Ecologic |  Stretchable |  EN 6941 |
| 2 | ArFlexMembrane 900 gr/m ² , 28% Polyester 2% Elastane 70% Polyurethane, Flexible Outdoor Membrane |  | Less Steel Usage |  EN 13034 |  Ecologic |  Stretchable |  EN 6941 | | |
| 3 | ArDigiPrint 250 gr/m ² , 100% Polyester, Flexible Fabric for Digital Printing |  | Less Steel Usage |  EN 13034 |  Ecologic |  Stretchable |  EN 6941 | | |



1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



E

M

O

H

CONTENT

1 ArDiLight
350 gr/m², 46% Polyester 4% Elastane 50% PVC,
Stretch Ceiling Fabric





1975

ARITTEKS

FUNCTION FOR FLEXIBLE FABRICS



PROTECTION

ArNeo

Fluorescent Knit Fabrics for Safety Jackets



Antistatic

EN 1149-5



High Visibility

EN 20471



Flame Retardant

EN 14116



Water and Oil
Repellent

EN 4920



Rain Protection

EN 343

CONTENT

| | | | |
|-----------|---------------------------------|--|---|
| 1 | ArNeo | 150 gr/m ² , 100% Polyester |  |
| 2 | ArNeo Pro | 150 gr/m ² , 100% Polyester |   |
| 3 | ArNeo Flame+Static Pro | 150 gr/m ² , 99% Polyester 1% Carbon |    |
| 4 | ArNeo Eco | 120 gr/m ² , 100% Polyester |  |
| 5 | ArNeo Eco +R400 | 120 gr/m ² , 100% Polyester, Reflective Strips Laminated Knit Fabric |  |
| 6 | ArNeo Color | 120 gr/m ² , 100% Polyester, Warp Knit Fabric | |
| 7 | ArNeo File | 120 gr/m ² , 100% Polyester |  |
| 8 | ArNeo Color File | 120 gr/m ² , 100% Polyester, Mesh Knit Fabric | |
| 9 | ArNeo Dirt Pro | 150 gr/m ² , 100% Polyester |   |
| 10 | ArNeo Super Eco | 75 gr/m ² , 100% Polyester, High Visible Knit Fabric | |
| 11 | ArNeo Super Eco +R50 | 75 gr/m ² , 100% Polyester, Brilliant Strips Laminated, High Visible Knit Fabric | |
| 12 | ArNeo Light | 70 gr/m ² , 100% Polyester, High Visible Knit Fabric | |
| 13 | ArNeo Light +R50 | 70 gr/m ² , 100% Polyester, Brilliant Strips Laminated, High Visible Knit Fabric | |
| 14 | ArNeo Light +R400 | 70 gr/m ² , 100% Polyester, Reflective Strips Laminated, High Visible Knit Fabric | |
| 15 | ArNeo Color Light | 70 gr/m ² , 100% Polyester, Knit Fabric | |

ArShirtNeo

100% COTTON

FLUORESCENT FABRICS



HIGH  VISIBILITY


CONTENT

1 ArShirtNeo 220 gr/m², 100% Cotton, Pique, High Visible Knit Fabric

















ArShirt

**100% Cotton Vat Dyed
Antistatic and Modacrylic
Inherent Flame Retardant
Knit Fabrics**



CONTENT

| | | |
|----------|---|---|
| 1 | ArShirt 220 gr/m ² , 100% Cotton, Pique, Vat Dyed Knit Fabric |  |
| 2 | ArShirt Static Pro 220 gr/m ² , 97% Cotton 3% Carbon, Pique, Vat Dyed Knit Fabric |   |
| 3 | ArShirt Moda Pro 220 gr/m ² , 60% Modacrylic 38% Cotton 2% Carbon, Pique Knit Fabric |     |
| 4 | ArSuprem 220 gr/m ² , 100% Cotton, Single Jersey, Vat Dyed Knit Fabric |  |
| 5 | ArSuprem Static Pro 220 gr/m ² , 97% Cotton 3% Carbon, Single Jersey, Vat Dyed Knit Fabric |   |
| 6 | ArSuprem Moda Pro 220 gr/m ² , 60% Modacrylic 38% Cotton 2% Carbon, Jersey Knit Fabric |     |

ArBir

Woven like
Knit Fabrics
for Bodywarmers,
Jackets and Raincoats



High Visibility

EN 20471



Waterproof








EN 343



Chemical
Resistant

EN 13034

CONTENT

| | | |
|----------|--|--|
| 1 | ArBir 140 gr/m ² , 100% Polyester, Woven Like Knit Fabric |  EN 20471 |
| 2 | ArBir Su Itici 140 gr/m ² , 100% Polyester, Woven Like Knit Fabric |  EN 13034  EN 20471 |
| 3 | ArBir Su Itici / Su Geçirmez 160 gr/m ² , 75% Polyester 25% Polyurethane, Woven Like Knit Fabric |  EN 343  EN 13034  EN 20471 |
| 4 | ArBir 200 220 gr/m ² , 100% Polyester, Woven Like Knit Fabric |  EN 20471 |

ArWoWear

S O F T S E R I E S

Economical WorkWear Fabrics



Water and Oil
Repellent

CONTENT

| | | |
|----------|--|--|
| 1 | ArWoWear T2 Soft 245 gr/m ² , 100% Cotton, 3/1S Twill Fabric |  EN 4920 |
| 2 | ArWoWear T4 Soft 200 gr/m ² , 65% Polyester 35% Cotton, 2/1S Twill Fabric |  EN 4920 |
| 3 | ArWoWear T5 Soft 245 gr/m ² , 65% Polyester 35% Cotton, 3/1S Twill Fabric |  EN 4920 |
| 4 | ArWoWear T6 Soft 200 gr/m ² , 60% Cotton 40% Polyester, 2/1S Twill Fabric |  EN 4920 |
| 5 | ArWoWear T7 Soft 245 gr/m ² , 60% Cotton 40% Polyester, 3/1S Twill Fabric |  EN 4920 |
| 6 | ArWoWear T11 Soft 390 gr/m ² , 100% Cotton, 3/1S Twill Fabric |  EN 4920 |

ArWoWear

STATIC PRO SERIES

Antistatic Twill WorkWear Fabrics









Antistatic



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

CONTENT

| | | |
|----------|---|--|
| 1 | ArWoWear T2 Static Pro 245 gr/m ² , 99% Cotton 1% Carbon, 3/1S Twill Fabric |  EN 1149-5 |
| 2 | ArWoWear T4 Static Pro 200 gr/m ² , 64% Polyester 35% Cotton 1% Carbon, 2/1S Twill Fabric |  EN 1149-5 |
| 3 | ArWoWear T5 Static Pro 245 gr/m ² , 64% Polyester 35% Cotton 1% Carbon, 3/1S Twill Fabric |  EN 1149-5 |
| 4 | ArWoWear T11 Static Pro 360 gr/m ² , 99% Cotton 1% Carbon, 3/1S Twill Fabric |  EN 1149-5 |
| 5 | ArWoWear T20 Static Pro 260 gr/m ² , 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric |  EN 1149-5 |
| 6 | ArWoWear T21 Static Pro 330 gr/m ² , 79% Cotton 20% Polyester 1% Carbon, 3/1S Twill Fabric |  EN 1149-5 |

ArWoWear

CHEMICAL PRO SERIES

Vat Dyed WorkWear Fabrics
Resistant to Industrial Chemicals



Chemical
Resistant

CONTENT

| | | |
|----------|---|---|
| 1 | ArWoWear T2 Chem Pro |  |
| | 260 gr/m ² , 100% Cotton, VAT Dyed, 3/1S Twill Fabric | |
| 2 | ArWoWear T4 Chem Pro |  |
| | 200 gr/m ² , 65% Polyester 35% Cotton, VAT Dyed, 2/1S Twill Fabric | |
| 3 | ArWoWear T5 Chem Pro |  |
| | 245 gr/m ² , 65% Polyester 35% Cotton, VAT Dyed, 3/1S Twill Fabric | |
| 4 | ArWoWear T6 Chem Pro |  |
| | 200 gr/m ² , 60% Cotton 40% Polyester, VAT Dyed, 2/1S Twill Fabric | |
| 5 | ArWoWear T7 Chem Pro |  |
| | 245 gr/m ² , 60% Cotton 40% Polyester, VAT Dyed, 3/1S Twill Fabric | |
| 6 | ArWoWear T11 Chem Pro |  |
| | 360 gr/m ² , 100% Cotton, Vat Dyed, 3/1S Twill Fabric | |

ArWoWear

FLAME PRO SERIES



**Flame Retardant, Vat Dyed
WorkWear Fabrics
Resistant up to 100 Wash**



**Heat and Flame
Protection**



























**Welding
Protection**



**Electrical Arc
Protection**

CONTENT

| | | | | |
|----------|---|---|---|---|
| 1 | ArWoWear T1 Flame Pro 220 gr/m ² , 100% Cotton, VAT Dyed, 2/1S Twill Fabric |  EN 11612 | | |
| 2 | ArWoWear T2 Flame Pro 260 gr/m ² , 100% Cotton, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 3 | ArWoWear T11 Flame Pro 360 gr/m ² , 100% Cotton, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 4 | ArWoWear T12 Flame Pro 450 gr/m ² , 100% Cotton, VAT Dyed, 4/1 Satin Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 5 | ArWoWear T13 Flame Pro 520 gr/m ² , 100% Cotton, VAT Dyed, 5/2 Satin Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 6 | ArWoWear T20 Flame Pro 260 gr/m ² , 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 7 | ArWoWear T21 Flame Pro 330 gr/m ² , 80% Cotton 20% Polyester, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 8 | ArWoWear T30 Flame Pro 260 gr/m ² , 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |
| 9 | ArWoWear T31 Flame Pro 330 gr/m ² , 90% Cotton 10% Polyamide, VAT Dyed, 3/1S Twill Fabric |  EN 61482 |  EN 11612 |  EN 11611 |

ArWoWear

FLAME + ARC PRO SERIES

Flame Retardant, Antistatic
Vat Dyed, Workwear Fabrics
Resistant up to 100 Wash



EN 11612

Heat and Flame
Protection



EN 11611

Welding
Protection



EN 61482

Electrical Arc
Protection



EN 1149-5

Antistatic



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

CONTENT

| | | |
|----------|---|---|
| 1 | ArWoWear T0 Flame+Arc Pro 150 gr/m ² , 99% Cotton 1% Carbon, VAT Dyed, 1/1 Plain Fabric |   |
| 2 | ArWoWear T1 Flame+Arc Pro 220 gr/m ² , 99% Cotton 1% Carbon, VAT Dyed, 2/1S Twill Fabric |   |
| 3 | ArWoWear T2 Flame+Arc Pro 260 gr/m ² , 99% Cotton 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |
| 4 | ArWoWear T11 Flame+Arc Pro 360 gr/m ² , 99% Cotton 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |
| 5 | ArWoWear T20 Flame+Arc Pro 260 gr/m ² , 79% Cotton 20% Polyester 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |
| 6 | ArWoWear T21 Flame+Arc Pro 330 gr/m ² , 79% Cotton 20% Polyester 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |
| 7 | ArWoWear T30 Flame+Arc Pro 260 gr/m ² , 89% Cotton 10% Polyamide 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |
| 8 | ArWoWear T31 Flame+Arc Pro 330 gr/m ² , 89% Cotton 10% Polyamide 1% Carbon, VAT Dyed, 3/1S Twill Fabric |     |

Aramid

Inherent Flame Retardant Aramid Fabrics



EN 15614

Forest Firefighters



EN 11612

Heat and Flame Protection



EN 61482

Electrical Arc Protection



EN 1149-5

Antistatic



EN 11611

Welding Protection























EN 13034

Chemical Resistant



CONTENT

| | | | |
|----------|------------------------|---|--|
| 1 | Aramid D0 150 | 150 gr/m ² , 93% m-Aramid 5% p-Aramid 2% Carbon, 1/1 Plain Fabric |    |
| 2 | Aramid D1 210 | 210 gr/m ² , 93% m-Aramid 5% p-Aramid 2% Carbon, 2/1S Twill Fabric |       |
| 3 | Aramid D2 260 | 260 gr/m ² , 93% m-Aramid 5% p-Aramid 2% Carbon, 3/1S Twill Fabric |       |
| 4 | Aramid D3 200 | 200 gr/m ² , 75% m-Aramid 23% p-Aramid 2% Carbon, 2/1S Twill Fabric |      |

ArWoWear

MODA PRO SERIES

Inherent Flame Retardant Modacrylic Workwear Fabrics



EN 20471

High Visibility



EN 11611

Welding
Protection



EN 11612

Flame and Heat
Protection



EN 1149-5

Antistatic



EN 61482

Arc Protection



EN 13034

Chemical
Resistant

CONTENT

1 ArWoWear | 260 Moda Pro

260 gr/m², 60% Modacrylic 38% Cotton
2% Carbon, 3/1S Twill Fabric



2 ArWoWear | 330 Moda Pro

330 gr/m², 60% Modacrylic 38% Cotton
2% Carbon, 3/1S Twill Fabric



Arox

Polyester Woven Fabrics for Raincoats, Jackets and Coveralls



Antistatic



Rain Protection



Water and Oil
Repellent

















Flame Retardant



High Visibility

CONTENT

| | | |
|----------|---|---|
| 1 | Arox T1 Static Pro 110 gr/m ² , 99% Polyester 1% Carbon, 3/2 S Twill Fabric |   |
| 2 | Arox T2 Static Pro 160 gr/m ² , 99% Polyester 1% Carbon, 2/1 S Twill Fabric |   |
| 3 | Arox T2 WR 160 gr/m ² , 100% Polyester, 1/1 Plain Woven Fabric |   |
| 4 | Arox T4 WR/WP 210 gr/m ² , 75% Polyester 25% Polyurethane, Breathable, 1/1 Plain Woven Fabric |    |
| 5 | Arox T5 Multi 250 gr/m ² , 75% Polyester 23% Polyurethane 2% Carbon, Breathable, 1/1 Plain Woven Fabric |      |



ArGiyim

Ultra Durable
Ultra Breathable














Front Side Polyester
Back Side Cotton

PolyCotton Fabrics



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

CONTENT

- 1 ArGiyim | 245**
245 gr/m², 80% Polyester 20% Cotton
3/1 S Twill Woven Fabric

- 2 ArGiyim | 290**
290 gr/m², 80% Polyester 20% Cotton
4/1 Satin Woven Fabric

- 3 ArGiyim | 245 Static Pro**
245 gr/m², 79% Polyester 20% Cotton 1% Carbon
3/1 S Twill Woven Fabric

- 4 ArGiyim | Bird Eye**
180 gr/m², 50% Polyester 50% Cotton, Bird Eye Knit Fabric

- 5 ArGiyim | Sultan**
330 gr/m², 49% Polyester 50% Cotton 1% Carbon
4/1 Satin Woven Fabric




1975

ARITTEKS

FUNCTION FOR FLEXIBLE FABRICS



ALL
G
I
D
E
M
E
D
I
C
A
L

ArMedi Medical Fabrics



Water and Oil
Repellent

CONTENT

1 ArMedi

180 gr/m², 75% Polyester 25% Viscose, 1/1 Plain Woven Fabric



ArMedi Antibacterial

Inherent Antibacterial Fabrics
(Silver Yarn Integrated)







Water and Oil
Repellent



Antibacterial

CONTENT

| | | |
|----------|--|---|
| 1 | Arox T2 WR / Antibac |   |
| | 160 gr/m ² , 97% Polyester 3% Silver, 2/1 S Twill Fabric | |
| 2 | ArWoWear T4 Antibac |   |
| | 200 gr/m ² , 63% Polyester 34% Cotton 3% Silver, 2/1 S Twill Fabric | |



1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



T

R

O

P

S

Arof

Track Suit and
Light Mesh Fabrics



1975

ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

CONTENT

- 1 Arof**
220 gr/m², 100% Polyester, Warp Knit Fabric
- 2 Arof | File**
55 gr/m², 100% Polyester, 3*1 Mesh Fabric
- 3 Arof | Mesh 2*2**
55 gr/m², 100% Polyester, 2*2 Mesh Fabric



ArSport

**Knit Interlock
Polyester Fabrics
for T-Shirts**



High Visibility

CONTENT

1 ArSport
140 gr/m2, 100% Polyester, Interlock Knit Fabric

2 ArSport X
170 gr/m2, 100% Polyester, Bird Eye Knit Fabric




ArMoto



**Heavy Warp Knit Fabrics
for Shoes and Wind Jackets**

CONTENT

- 1 ArMoto**
240 gr/m², 100% Polyester, Wind Jacket Fabric
- 2 ArMoto Dura**
240 gr/m², 100% Pa 6.6, Warp Knit Fabric





ArHard Mesh

Heavy Mesh Fabrics

CONTENT

1 ArHard Mesh
420 gr/m2, 100% Polyester, Mesh Fabric

2 ArHard Mesh 300
300 gr/m2, 100% Polyester, Mesh Fabric



1975

ARITTEKS

FUNCTION FOR FLEXIBLE FABRICS



TRAWNSPORT

ArSeat

Warp Knit Fabrics for Upholstery and Shoes



CONTENT

- 1 ArSeat**
150 gr/m², 100% Polyester, Pique Knit Fabric
- 2 ArSeat Eco**
120 gr/m², 100% Polyester, Pique Knit Fabric
- 3 ArSeat Touch**
150 gr/m², 100% Polyester, Microalcantara one side fleece knit fabric

ArAir Mesh

3D Fabrics Series



CONTENT

- 1 ArAir | Mesh AA 250**
250 gr/m², 100% Polyester, Air Mesh Fabric
- 2 ArAir | Mesh AA 150**
150 gr/m², 100% Polyester, Air Mesh Fabric
- 3 ArAir | Mesh BB**
250 gr/m², 100% Polyester, Hard Air Mesh Fabric
- 4 ArAir | Mesh Bond**
230 gr/m², 100% Polyester, Air Mesh Open Structure Fabric

ArBayrak



**Car Warning Tripod
Fluorescent Fabrics**



1975
ARITEKS
FUNCTION FOR FLEXIBLE FABRICS

CONTENT

- 1** **ArBayrak**
120 gr/m2, 100% Polyester, Flag Fabric





1975

ARITEKS

FUNCTION FOR FLEXIBLE FABRICS



P
A
C
K
A
G
E



ArDura

High Tenacity Polyamide Fabrics For Military Equipments



**Water and Oil
Repellent**

EN 4920



Waterproof

EN 343

CONTENT

1 ArDura 500
240 gr/m², 100% Pa 6.6



2 ArDura 1000
350 gr/m², 100% Pa 6.6



Wash Effect Fabrics (Antique)



Velvet Fabrics



Metallic Coated Knit Fabrics



Mercerised Fabrics



Indigo Dyed Knit Fabrics



Functional Technical Textiles



Ribs Fabrics



Fleece and Futter Fabrics



Cotton Fabrics & Mixtures



Modal Fabrics & Mixtures



Acrylic Polyamide Acetate Fabrics



Interlock Fabrics



Viscose/Vortex/Tencel Fabrics



Linen Fabrics



Jacquard Fabrics



100% Cotton Fluorescent Fabrics



























Apparel Knit Fabrics

Fashion Fabrics



Technical Fabrics

| | | | | | |
|---|--|---|--|--|--|
|   BUILDING |   HOME |   PROTECTION |   MEDICAL |   SPORT |   TRANSPORT |
|   GEOLOGY |   PACKAGE |   CLOTH |   AGRICULTURE |   ENVIRONMENT |   MACHINE |

Headquarters
 Hekimsuyu Cad. No:36
 Kucukkoy/Gaziosmanpasa 34250 Istanbul/Turkey
 Phone: +90 212 538 05 98-99
 Fax: +90 212 537 08 46
 E-Mail: support@aritekinfo.com
 Web: www.aritek.net

Factory
 Velimese OSB Mah. Haci Seramet 5.Sokak, No:9/9
 Yulafli/Corlu 59850 Tekirdag/Turkey
 Phone: +90 282 676 41 90
 Fax: +90 282 676 46 13
 E-Mail: support@aritekinfo.com
 Web: www.aritek.net